

Message

---

**From:** Smith, DavidW [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=911849B6D8DB4194AC6D4B69051E3B74-DSMITH06]  
**Sent:** 11/9/2018 11:52:02 PM  
**To:** Kihara, Annalisa@Waterboards [Annalisa.Kihara@waterboards.ca.gov]  
**Subject:** RE: EPA - STORMS Brainstorm Notes

Thanks Annalisa- BTW, did you send me that SCCWRP proposal on SW model monitoring design best practices? I may have missed it. Thanks  
Dave

---

**From:** Kihara, Annalisa@Waterboards <Annalisa.Kihara@waterboards.ca.gov>  
**Sent:** Tuesday, November 6, 2018 5:23 PM  
**To:** Smith, DavidW <Smith.DavidW@epa.gov>; Mumley, Thomas@Waterboards <Thomas.Mumley@waterboards.ca.gov>  
**Subject:** EPA - STORMS Brainstorm Notes

Hi Dave and Tom,

Thanks for a great meeting. Attached are my notes.

Annalisa G. Kihara, P.E.  
Senior Water Resource Control Engineer  
Storm Water Planning Unit  
1001 "I" Street 15th Floor  
Sacramento, CA 95814  
(916) 324-6786  phone